

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

280.3479

34P **POULTRY**

Slaughtered under Federal Inspection and Poultry

Used in Canning and Other Processed Foods

SEPTEMBER 1967

November 3, 1967

Inspected Poultry - A total of 1,092,745,000 pounds live weight (chickens, turkeys, and ducks combined) were inspected for slaughter during September 1967 under the Poultry Inspection Act carried on by the U.S.D.A. This was 7 percent less than the previous month and 1 percent more than September 1966.

The number of head and pounds (live weight) inspected by classes in September 1967 were young chickens, 195,879,000 head, 701,975,000 pounds; mature chickens, 13,594,000 head, 66,202,000 pounds; fryer-roaster turkeys, 1,330,000 head, 11,805,000 pounds; young turkeys, 15,444,000 head, 305,384,000 pounds; old turkeys, 50,000 head, 835,000 pounds; and ducks, 1,041,000 head, 6,544,000 pounds.

Certified Poultry - The quantity of poultry certified as wholesome in September 1967 totaled 805,639,000 pounds ready-to-cook weight of which 521,610,000 pounds were chilled and 284,029,000 pounds were frozen. Total pounds certified by class of poultry were as follows: young chickens, 503,673,000 pounds; mature chickens, 43,719,000 pounds; fryer-roaster turkeys, 9,091,000 pounds; young turkeys, 243,542,000 pounds; old turkeys, 670,000 pounds; ducks, 4,734,000 pounds; and other poultry, 210,000 pounds.

Canned and Processed Poultry - Poultry inspected and used for canning and other processed food in September 1967 totaled 74,049,000 pounds ready-to-cook weight, compared with 71,984,000 pounds in September 1966. The quantity used in September 1967 consisted of 16,555,000 pounds of young chickens, 24,888,000 pounds of mature chickens, 26,816,000 pounds of turkeys, and 5,790,000 pounds of other poultry.

Cut-up Poultry - Poultry cut-up and packaged in Federally inspected plants during September 1967 totaled 121,751,000 pounds ready-to-cook weight compared with 117,737,000 pounds in September 1966. The breakdown by classes for September 1967 consisted of 107,500,000 pounds of young chickens, 861,000 pounds of mature chickens, 13,197,000 pounds of turkeys, and 193,000 pounds of other poultry.

Ante-mortem condemnations amounted to 2,712,000 pounds live weight for all classes. Condemnations by classes were equivalent to the following percentages of quantities inspected: young chickens, 0.24 percent; mature chickens, 0.54 percent; fryer-roaster turkeys, 0.18 percent; young turkeys, 0.21 percent; old turkeys, 0.09 percent; and ducks, 0.01 percent.

Post-mortem condemnations in September 1967 amounted to 28,896,000 pounds (NYD) weight for all types of poultry. Condemnations by classes were equivalent to the following percentages of quantities inspected: young chickens, 3.17 percent; mature chickens, 4.68 percent; fryer-roaster turkeys, 1.76 percent; young turkeys, 2.14 percent; old turkeys, 2.53 percent; and ducks, 1.46 percent.

Poultry: Slaughtered under Federal Inspection, September 1967 with comparisons

Class	Number inspected				Pounds inspected (live weight)				Average live weight			
	August		September		August		September		August		September	
	1967	1966	1967	1966	1967	1966	1967	1966	1967	1966	1967	1966
	Thou.	Thou.	Thou.	Thou.	pounds	pounds	pounds	pounds	Pounds	Pounds	Pounds	Pounds
Young chickens	227,392	200,676	195,879	1,686,645	1,776,827	798,388	714,848	701,975	5,854,251	6,254,365	3,51	3,56
Mature chickens	12,838	12,518	13,594	104,241	123,575	60,889	59,401	66,202	487,165	578,998	4.73	4.75
Total chickens	240,230	213,194	209,473	1,790,886	1,900,402	859,077	774,249	768,177	6,341,416	6,843,363	3.58	3.63
Fryer-roasters	1,185	1,356	1,330	11,188	10,159	10,279	11,815	11,805	97,868	89,683	8.67	8.71
Young turkeys	15,681	14,619	15,444	44,440	54,761	296,223	288,891	305,384	820,889	1,034,558	18.89	19.76
Old turkeys	114	42	50	1,723	1,901	2,032	669	835	33,387	36,652	17.82	15.93
Total turkeys	16,980	16,017	16,824	57,351	66,821	308,534	301,375	318,024	952,144	1,160,893	18.17	18.82
Ducks	1,297	1,129	1,041	8,073	8,018	7,974	7,147	6,544	51,173	50,693	6.15	6.33
Other poultry	---	---	---	---	---	399	378	378	4,042	2,937	---	---
Total poultry	---	---	---	---	---	1,175,984	1,083,149	1,093,123	7,348,775	8,057,886	---	---

Pounds certified (ready-to-cook weights)

Class	September 1967				January-September 1966				January-September 1967			
	August		September		August		September		August		September	
	1967	1966	1967	1966	1967	1966	1967	1966	1967	1966	1967	1966
	Chilled	Frozen	Total	Chilled	Frozen	Total	Chilled	Frozen	Total	Chilled	Frozen	Total
	pounds	pounds	pounds	pounds	pounds	pounds	pounds	pounds	pounds	pounds	pounds	pounds
Young chickens	520,803	52,694	573,497	455,082	60,297	515,379	449,230	54,443	503,673	3,748,076	450,692	4,198,768
Mature chickens	30,252	9,743	39,995	29,698	9,299	38,997	33,860	9,859	43,719	235,915	84,295	320,210
Total chickens	551,055	62,437	613,492	484,780	69,596	554,376	483,090	64,302	547,392	3,983,991	534,987	4,518,978
Fryer-roasters	2,433	5,442	7,875	1,518	7,526	9,044	1,688	7,403	9,091	14,111	61,318	75,429
Young turkeys	32,050	204,478	236,528	41,521	188,823	230,344	36,660	206,882	243,542	128,959	526,159	655,118
Old turkeys	88	1,533	1,621	5	534	539	44	626	670	4,063	22,438	26,501
Total turkeys	34,571	211,453	246,024	43,044	196,883	239,927	38,392	214,911	253,303	147,133	609,915	757,048
Ducks	90	5,622	5,712	118	4,969	5,087	79	4,655	4,734	1,695	35,001	36,696
Other poultry	22	200	222	13	220	233	49	161	210	52	2,512	2,564
Total poultry	585,738	279,712	865,450	527,955	271,668	799,623	521,610	284,029	805,639	4,132,871	1,182,415	5,315,286

Of the mature chickens inspected, the number reported in thousands as heavy fowl (broiler breeding stock) was August 1967, 2,528; September 1966, 2,221; and September 1967, 3,026.

Of the young turkeys inspected, the number reported in thousands as young banded breeders was: August 1967, 76; September 1966, 11; and September 1967, 14.

Poultry: Condemnations of poultry slaughtered under Federal Inspection, September 1967 with comparisons

Class	Ante-mortem condemnations				Post-mortem condemnations			
	Pounds (live weight):		Percent 1/		Pounds (live weight):		Percent 2/	
	September 1966	September 1967	September 1966	September 1967	September 1966	September 1967	September 1966	September 1967
Young chickens	1,865	1,703	0.26	0.24	18,725	21,350	3.33	3.17
Mature chickens	274	358	.46	.54	3,634	2,429	4.56	4.68
Total chickens	2,139	2,061	.28	.27	22,359	23,779	3.42	3.30
Fryer-roasters	24	21	.20	.18	213	232	2.19	1.76
Young turkeys	432	627	.15	.21	2,195	5,740	2.21	2.14
Old turkeys	2	1	.33	.09	85	11	1.83	2.53
Total turkeys	458	649	.15	.20	2,493	5,983	2.21	2.13
Ducks	1	1	.01	.01	6	92	1.43	1.46
Other poultry	1	1	.12	.29	6	7	2.06	.88
Total	2,599	2,712	.24	.25	23,474	29,861	3.07	2.94

1/ Pounds condemned as percent of pounds (live weight) inspected. Percentage based on unrounded data.

2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data.

Poultry: Inspected for canning and other processed foods, September 1967 with comparisons 1/

Class	Pounds used ready-to-cook weight				Pounds condemned ready-to-cook weight			
	August 1967		September 1967		August 1967		September 1967	
	1966	1967	1966	1967	1966	1967	1966	1967
Young chickens	19,946	14,395	16,555	133,643	158,986	109	23	47
Further processed	105,914	100,316	107,500	819,882	898,459	---	---	---
Cut up	28,331	22,974	24,888	222,450	256,823	40	15	20
Mature chickens	604	428	861	5,709	5,823	---	---	---
Further processed	28,764	30,394	26,816	233,503	231,311	12	5	16
Cut up	13,516	16,934	13,197	72,587	79,488	---	---	---
Turkeys	5,871	4,221	5,790	41,520	60,471	13	7	11
Further processed	161	59	193	639	858	---	---	---
Cut up	82,912	71,984	74,049	631,116	707,591	174	50	94
Total	120,195	117,737	121,751	898,817	984,628	---	---	---

1/ All poultry inspected for canning and further processing and cut up and packaged in plants under Federal inspection.

2/ Poultry parts and fat used in further processing that cannot be identified by class are included in "other poultry."

Young chickens: Slaughtered under Federal Inspection, by regions and selected States, September 1966 and 1967

Region and State	Number inspected	Pounds inspected	Average live weight inspected 1/	Total pounds certified (Ready-to-cook wt.)	Post-mortem condemnations			
					Pounds (NYD)		Percent 2/	
					1966	1967	1966	1967
	Thou.	Thou.	Pounds	Pounds	1,000	1,000	1,000	1,000
N. Atl.	14,064	12,814	55,518	51,281	40,110	36,637	1,562	1,680
E. N. Cent.	2,446	2,287	9,502	8,845	6,971	6,508	114	136
W. N. Cent.	4,028	3,972	15,000	14,607	10,700	10,503	424	283
S. Atl.	84,722	81,002	303,731	293,990	220,528	210,277	9,621	9,371
S. Cent.	91,270	91,565	316,097	317,675	226,288	228,796	9,284	8,023
West	4,146	4,239	15,000	15,577	10,782	10,952	345	469
U. S.	200,676	195,879	714,848	701,975	515,379	503,673	21,350	19,962
Maine	5,797	5,296	23,161	20,973	17,001	15,259	543	599
Pa.	7,504	6,758	29,258	27,240	21,025	19,196	945	1,001
Ohio	97	12	423	57	309	42	7	1
Ind.	998	959	3,780	3,522	2,786	2,599	40	50
Wis.	1,330	1,311	5,165	5,238	3,777	3,847	64	85
Minn.	601	647	2,642	2,585	1,978	1,928	38	27
Mo.	3,341	3,255	11,557	11,355	8,126	8,088	370	229
Del.	7,746	7,485	29,628	29,469	26,385	20,979	1,011	1,121
Md.	12,485	11,543	45,909	43,841	33,105	31,305	1,549	1,512
Va.	3,617	4,330	11,627	14,472	8,121	9,972	325	360
N.C.	22,796	21,575	82,653	79,210	57,036	57,145	2,558	2,045
S.C.	2,414	2,034	8,562	7,081	6,003	5,123	457	211
Ga.	34,070	32,109	120,337	113,370	86,245	81,005	3,615	4,013
Tenn.	5,260	5,267	19,036	18,192	13,656	13,135	531	473
Ala.	23,404	22,622	83,395	81,080	60,118	56,443	1,929	2,135
Miss.	14,608	13,970	49,927	48,440	36,234	35,523	1,444	982
Ark.	29,309	29,236	96,103	98,182	69,359	70,140	3,251	2,482
La. 3/	---	4,440	---	15,671	---	11,209	---	465
Texas	12,514	13,618	43,790	47,607	31,369	34,256	1,284	1,314
Wash.	795	808	2,937	3,113	2,177	2,177	30	55
Calif.	2,503	2,546	9,062	9,353	6,474	6,557	226	327

1/ Average weight based on unrounded data.

2/ Pounds condemned as percent of equivalent N. Y. dressed weight of quantity inspected.

Percentages based on unrounded data.

3/ Data for only 1 year published in order to avoid disclosure of individual operations.

Young chickens: Number condemned post-mortem by cause, by regions and selected States, September 1967

Region and State	Tuber- culosis		Leu- kosis		Septi- cemia		Airsac- culitis		Synovitis		Tumors		Bruises		Cadaver		Contam- ination		Over- scald		Other		Total	
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	
N. Atl.	---	229,493	90,968	60,919	9,066	1,693	2,052	11,213	14,005	989	14,931	435,329												
E. N. Cent.	---	8,525	11,927	4,515	4,003	265	1,217	1,282	2,985	504	347	35,570												
W. N. Cent.	---	26,085	20,774	12,933	4,272	368	1,363	2,196	3,960	504	3,131	75,586												
S. Atl.	---	1,235,665	385,581	547,970	46,318	6,837	29,261	61,686	174,011	14,712	66,905	2,568,946												
S. Cent.	---	619,739	434,116	593,869	91,513	9,874	30,324	77,983	122,513	14,918	79,707	2,074,556												
West.	---	74,259	28,994	16,415	1,784	317	996	2,806	5,668	817	12,317	144,373												
U. S.	---	2,193,766	972,360	1,236,621	156,956	19,354	65,213	157,166	323,142	32,444	177,338	5,334,360												
Maine	---	85,098	39,339	5,167	1,824	372	942	4,969	5,399	67	7,355	150,532												
Pa.	---	137,366	45,855	54,838	6,797	1,118	938	5,767	7,371	838	6,714	267,602												
Ohio	---	38	20	19	8	12	1	5	39	---	17	159												
Ind.	---	4,184	3,604	1,106	3,636	81	565	459	1,095	155	171	15,056												
Wis.	---	4,280	8,272	3,381	356	171	650	814	1,842	349	158	20,273												
Minn.	---	1,531	1,493	174	75	117	217	265	802	6	1,049	5,729												
Mo.	---	23,347	17,925	12,710	3,665	170	1,115	1,877	3,103	497	2,081	66,490												
Del.	---	214,671	31,176	64,045	2,648	573	1,263	6,262	12,347	670	5,696	339,351												
Md.	---	257,362	57,791	75,267	3,563	924	2,375	7,811	14,285	3,334	3,860	426,572												
Va.	---	57,537	24,927	26,119	1,003	101	816	2,105	2,382	432	1,217	116,639												
N. C.	---	178,334	110,263	127,708	11,933	1,794	9,348	18,306	48,174	3,280	22,764	531,904												
S. C.	---	33,125	7,941	13,186	216	177	1,278	1,897	5,161	936	863	64,780												
Ga.	---	482,212	146,137	231,877	26,301	3,192	13,843	24,391	90,320	5,692	31,100	1,055,065												
Tenn.	---	21,253	21,671	38,337	6,162	315	1,563	3,994	12,305	676	6,285	112,561												
Ala.	---	181,169	98,095	147,563	16,216	2,621	6,734	16,555	40,393	3,556	22,488	535,390												
Miss.	---	44,423	23,401	107,827	6,203	1,208	4,330	9,050	12,057	1,431	13,893	223,823												
Ark.	---	239,946	169,745	155,205	23,682	2,734	7,880	22,352	28,505	6,337	17,764	674,150												
Ia.	---	45,171	36,547	17,574	2,882	456	2,067	4,223	7,466	713	3,905	121,004												
Texas	---	69,378	74,179	118,822	35,639	2,271	6,379	19,734	16,898	1,991	14,368	359,659												
Wash.	---	1,534	3,215	2,518	909	62	178	308	813	99	3,881	13,517												
Calif.	---	57,577	18,950	12,910	817	152	401	1,664	3,649	641	5,863	102,624												

Mature chickens: Slaughtered under Federal Inspection, by regions and selected States, September 1966 and 1967

Region and State	Number inspected	Pounds inspected	Average live weight inspected 1/	Total pounds certified (Ready-to-cook wt.)	Post-mortem condemnations			
					1966	1967	1966	1967
	1966	1967	1966	1967	1,000 pounds	1,000 pounds	Pounds (NYD)	Percent
	Thou.	Thou.	Pounds	Pounds	1,000 pounds	1,000 pounds	Percent	Percent
N. Atl.	1,651	1,633	8,298	8,192	5,519	5,438	265	3.56
E. N. Cent.	1,619	1,353	6,947	5,784	4,550	3,756	285	4.58
W. N. Cent.	3,747	4,204	16,529	18,962	10,608	12,344	788	5.32
S. Atl.	2,194	3,083	11,687	16,118	7,796	10,688	375	3.58
S. Cent.	2,149	2,175	11,150	12,248	7,521	8,384	465	4.56
West	1,158	1,146	4,790	4,898	3,003	3,109	251	5.85
U. S.	12,518	13,594	59,401	66,202	38,997	43,719	2,429	4.56
Maine	520	374	3,139	2,293	2,233	1,624	81	2.88
N. J.	846	870	3,580	3,677	2,213	2,293	146	4.56
Pa.	172	116	997	725	667	488	31	3.43
Ohio	394	249	1,631	1,070	1,060	692	62	4.20
Ind.	629	606	2,743	2,546	1,807	1,662	92	3.74
Ill.	469	440	1,864	1,764	1,201	1,125	106	6.30
Minn.	1,863	1,814	7,517	7,203	4,719	4,552	407	6.04
Iowa	145	245	629	1,041	406	660	43	5.33
Mo.	800	950	4,658	6,019	3,150	4,116	132	3.17
Del.	49	67	366	489	256	342	5	1.59
Md.	668	513	2,784	2,147	1,861	1,409	92	3.69
Va.	124	184	835	1,305	585	923	20	2.73
N. C.	352	419	2,474	2,977	1,682	2,035	70	3.15
Ga.	763	1,039	4,233	5,502	2,809	3,683	149	3.91
Fla.	221	372	893	1,447	530	877	35	4.48
Ala.	120	139	906	1,058	667	759	41	5.05
Miss.	1,056	1,165	4,989	5,783	3,349	3,911	187	4.47
Ark.	173	229	1,285	1,706	896	1,221	53	4.59
La. 3/	---	84	---	573	---	393	---	---
Texas	458	358	2,048	1,846	1,312	1,215	105	5.74
Wash.	123	104	540	446	344	283	20	4.20
Calif.	931	906	3,772	3,943	2,344	2,504	216	6.38

1/ Average weight based on unrounded data.

2/ Pounds condemned as percent of equivalent N. Y. dressed weight of quantity inspected.

3/ Data for only 1 year published in order to avoid disclosure of individual operations.

Percentages based on unrounded data.

Mature chickens: Number condemned post-mortem by cause, by regions and selected States, September 1967

Region and State	Tuber- culosis:		Leu- kosis		Septi- cemia		Airsac- culitis:		Synovitis:		Tumors		Bruises		Cadaver		Contam- ination:		Over- scald		Other		Total
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.		
N. Atl.	81	3,004	32,876	1,098	759	22,348	797	2,703	5,216	489	5,530	74,901											
E. N. Cent.	3,830	3,602	22,823	81	19	25,722	1,444	898	3,666	474	10,164	72,723											
W. N. Cent.	34,386	9,637	59,670	1,868	326	78,720	3,782	1,717	12,829	693	29,386	233,014											
S. Atl.	204	7,529	42,779	1,680	1,896	23,774	2,345	3,174	16,364	301	11,812	111,858											
S. Cent.	---	8,923	31,473	313	1,350	19,127	1,917	2,273	10,526	478	14,362	90,742											
West.	---	1,447	27,475	233	180	27,683	1,523	504	4,180	1,172	9,298	73,695											
U. S.	38,501	34,142	217,096	5,273	4,530	197,374	11,808	11,269	52,781	3,607	80,552	656,933											
Maine	---	901	6,416	1	480	1,676	154	307	817	31	167	10,950											
N. J.	55	1,480	21,807	1,091	100	17,332	543	2,096	3,742	377	4,170	52,793											
Pa.	---	211	2,179	2	7	1,057	34	66	372	2	524	4,454											
Ohio	666	1,364	1,783	16	11	3,443	212	222	745	3	2,161	10,617											
Ind.	1,370	1,066	11,665	1	2	11,841	1,121	507	2,099	422	2,256	32,359											
Ill.	1,640	862	8,743	57	4	10,071	72	120	549	17	5,725	27,860											
Miss.	12,890	2,760	26,892	201	83	41,439	1,415	672	4,855	380	26,379	117,966											
Iowa	1,439	465	4,275	54	16	4,398	136	397	1,274	25	101	12,580											
Mo.	1,362	2,339	14,442	309	120	5,905	877	433	1,766	41	814	28,408											
Del.	---	370	1,002	14	6	150	8	65	55	---	105	1,775											
Mi.	204	1,337	11,479	33	183	7,367	435	1,056	1,794	10	212	24,110											
Va.	---	437	3,575	30	160	517	125	139	372	1	6	5,362											
N. C.	---	881	4,335	210	455	1,369	344	185	1,609	121	1,053	10,562											
Ga.	---	1,283	11,819	334	608	6,355	556	856	4,665	100	6,131	32,707											
Fla.	---	804	3,367	8	13	2,469	118	198	1,555	20	3,552	12,104											
Ala.	---	392	2,557	61	96	347	71	115	1,934	---	202	5,775											
Miss.	---	1,107	13,001	31	737	17,616	1,276	1,540	5,530	178	8,667	49,683											
Ark.	---	543	4,728	155	138	262	87	77	579	154	455	7,178											
Ia.	---	114	1,659	1	126	110	60	58	496	15	479	3,118											
Texas	---	6,481	6,021	47	165	484	180	352	1,296	5	4,047	19,078											
Wash.	---	381	1,440	4	64	349	72	26	323	6	1,495	4,160											
Calif.	---	678	23,140	224	116	25,957	1,282	360	3,557	1,071	6,501	62,886											

Young turkeys (mature): Slaughtered under Federal Inspection, by regions and selected States, September 1966 and 1967

Region and State	Number inspected	Pounds inspected :(live weight)	Average live weight inspected 1/ 1966 : 1967	Total pounds certified :(Ready-to-cook wt.)	Post-mortem condemnations						
					Pounds (NYD)		Percent				
					1966	1967	1966	1967			
	Thou.	Thou.	Pounds	Pounds	pounds	pounds	Percent	Percent			
N. Atl.	271	343	5,339	6,272	19.70	18.29	4,198	67	56	1.40	0.99
E. N. Cent.	1,717	2,043	34,408	41,130	20.04	20.13	27,645	580	687	1.87	1.85
W. N. Cent.	5,553	5,598	109,590	110,794	19.74	19.79	88,022	2,130	2,010	2.16	2.02
S. Atl.	1,356	1,425	24,544	26,950	18.10	18.91	19,223	21,464	559	2.54	2.31
S. Cent.	2,559	2,602	48,979	49,893	19.14	19.17	38,519	39,365	1,115	2.81	2.49
West	3,163	3,433	66,031	70,345	20.88	20.49	52,737	55,812	1,168	1.97	2.28
U. S.	14,619	15,444	288,891	305,384	19.76	19.77	230,344	243,542	5,740	2.21	2.14
Pa.	209	294	3,929	5,159	18.83	17.54	3,109	4,148	42	1.19	.95
Ohio	320	628	7,010	12,677	21.90	20.19	5,618	10,273	113	1.79	1.76
Ind.	545	600	10,392	12,249	19.08	20.42	8,332	9,745	180	1.93	2.01
Wis.	645	626	12,768	12,185	19.81	19.45	10,277	9,791	222	1.93	1.95
Minn.	2,366	2,525	45,690	48,608	19.31	19.25	36,718	39,154	743	1.81	1.60
Iowa	1,157	1,218	23,575	25,307	20.37	20.77	19,015	20,305	414	1.95	2.24
Mo.	1,288	1,191	25,279	23,052	19.63	19.36	20,066	18,348	711	1.13	2.30
Nebr.	307	329	7,087	7,381	23.06	22.46	5,825	5,892	129	2.04	2.54
Kans.	197	142	3,185	2,660	15.17	18.73	2,545	2,134	83	2.90	3.28
Va.	452	373	8,393	7,622	18.55	20.41	6,421	5,877	228	3.03	2.79
N. C.	741	744	12,986	13,263	17.53	17.82	10,330	10,753	268	2.30	2.16
Ga.	50	27	990	474	19.84	17.73	792	372	17	1.94	4.04
Ark.	1,054	1,164	20,189	22,141	19.15	19.03	16,006	17,485	607	3.35	2.01
Texas	832	914	15,442	17,527	18.56	19.17	12,070	13,854	370	2.67	2.87
Colo.	333	401	6,604	8,032	19.86	20.02	5,489	6,532	192	1.02	2.67
Utah	653	748	14,525	16,857	22.23	22.53	11,608	13,444	200	1.54	1.18
Calif.	1,855	1,968	38,400	38,776	20.70	19.70	30,480	30,472	809	2.34	2.76

1/ Average weight based on unrounded data.

2/ Pounds condemned as percent of equivalent N. Y. dressed weight of quantity inspected. Percentages based on unrounded data.

Young turkeys (mature): Number condemned post-mortem by cause, by regions and selected States, September 1967

Region and State	Tuber- culosis	Leu- kosis	Septi- cemia	Airsac- culitis	Synovitis	Tumors	Bruises	Cadaver	Contam- ination	Over- scald	Other	Total
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
N. Atl.	1	46	1,395	521	219	9	71	116	238	2	33	2,651
E. N. Cent.	---	508	13,895	12,806	1,578	41	446	1,244	1,802	429	436	33,185
W. N. Cent.	---	205	54,446	29,986	2,601	166	1,448	2,130	5,859	506	1,184	98,531
S. Atl.	---	122	11,275	12,220	1,423	53	451	590	1,655	343	724	28,856
S. Cent.	---	321	26,562	19,843	4,411	108	575	884	2,537	192	4,112	59,545
West.	---	144	27,141	31,886	10,861	112	810	1,439	1,820	627	1,174	76,014
U. S.	1	1,346	134,714	107,262	21,093	489	3,801	6,403	13,911	2,099	7,663	298,782
Pa.	1	44	906	497	197	9	69	65	207	1	26	2,022
Ohio	---	168	3,937	3,044	513	13	79	540	850	79	283	9,506
Ind.	---	226	4,574	4,169	337	6	35	355	554	55	52	10,363
Wis.	---	109	4,214	5,232	597	18	285	285	354	260	42	11,396
Minn.	---	70	19,630	11,609	694	80	357	947	2,761	219	258	36,625
Iowa	---	36	14,410	7,020	923	18	350	439	1,043	84	666	24,989
Mo.	---	81	13,325	4,591	569	28	449	486	1,011	118	66	20,724
Nebr.	---	13	3,629	2,785	279	36	224	209	419	27	46	7,727
Kans.	---	2	1,573	2,878	64	1	23	29	185	4	105	4,864
Va.	---	9	4,504	4,482	388	---	194	82	116	72	8	9,855
N. C.	---	49	4,368	6,245	822	42	184	248	1,137	154	446	13,695
Ga.	---	27	572	51	74	---	12	1	148	97	91	1,073
Ark.	---	108	13,393	5,123	2,732	13	268	145	961	85	71	22,899
Texas	---	153	7,354	10,228	845	88	241	508	685	18	3,598	23,718
Colo.	---	3	1,641	8,452	52	10	171	141	277	42	15	10,804
Utah	---	10	5,828	1,514	640	8	247	386	371	236	175	9,415
Calif.	---	118	16,465	20,061	9,906	21	294	763	1,026	237	948	49,839

Fryer-roaster turkeys: Slaughtered under Federal Inspection, by regions and selected States, September 1966 and 1967

Region and State	Number inspected	Pounds		Average live weight		Total pounds certified		Post-mortem condemnations			
		(live weight)		inspected 1/		(Ready-to-cook wt.)		Pounds (NYD)			
		1966	1967	1966	1967	1966	1967	1966	1967	1966	1967
	Thou.	1,000 pounds	1,000 pounds	Pounds	Pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	Percent	Percent
N. Atl.	57	537	53	9.51	8.83	397	40	9	2	1.82	4.21
E. N. Cent.	97	884	699	9.11	9.32	699	552	10	11	1.26	1.75
W. N. Cent.	431	3,854	5,521	8.94	9.13	3,075	4,369	58	72	1.67	1.45
S. Atl.	536	4,742	3,966	8.85	8.66	3,526	2,952	100	80	2.35	2.25
S. Cent.	45	378	434	8.40	8.35	289	321	3	7	.88	1.80
West	190	1,420	1,132	7.47	8.45	1,058	857	52	15	4.08	1.47
U. S.	1,356	11,815	11,805	8.71	8.88	9,044	9,091	232	187	2.19	1.76
Ohio 3/	45	422	---	9.39	---	328	---	6	---	1.72	---
Wis.	44	401	526	9.08	9.35	322	416	4	8	.99	1.76
Minn.	381	3,416	5,048	8.96	9.16	2,730	3,995	45	67	1.48	1.48
Va.	503	4,435	3,823	8.81	8.61	3,280	2,840	97	78	2.43	2.27
Calif.	142	1,223	993	8.59	8.68	909	749	50	14	4.53	1.58

1/ Average weight based on unrounded data.

2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data.

3/ Data for only 1 year published in order to avoid disclosure of individual operations.

Fryer-roaster turkeys: Number condemned post-mortem by cause, by regions and selected States, September 1967

Region and State	Tuber- culosis	Leu- kosis	Septi- cemia	Airsac- culitis	Synovitis	Tumors	Bruises	Cadaver inaction	Contam- ination	Over- scald	Other	Total
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
N. Atl.	---	---	199	103	25	---	---	1	2	---	1	331
E. N. Cent.	---	1	676	106	19	1	50	95	148	10	24	1,130
W. N. Cent.	---	13	4,046	390	58	4	117	206	1,756	45	80	6,715
S. Atl.	---	---	3,782	4,614	67	1	105	204	340	5	16	9,134
S. Cent.	---	7	257	95	2	1	14	43	163	8	53	643
West.	---	7	794	333	237	1	53	110	122	25	35	1,717
U. S.	---	28	9,754	5,641	408	8	339	659	2,531	93	209	19,670
Wis.	---	1	628	105	19	1	50	39	109	2	3	957
Minn.	---	13	3,823	356	57	4	48	198	1,626	39	54	6,218
Va.	---	---	3,693	4,553	51	1	76	197	313	5	9	8,898
Calif.	---	1	682	324	228	---	36	100	88	24	33	1,516

Old turkeys (breeders): Slaughtered under Federal Inspection, by regions and selected States, September 1966 and 1967

State	Number inspected		Pounds inspected (live weight)		Average live weight inspected 1/		Total pounds certified (Ready-to-cook wt.)		Post-mortem condemnations			
	:		:		:		:		Pounds (NYD)		Percent	
	1966	1967	1966	1967	1966	1967	1966	1967	1966	1967	1966	1967
N. Atl.	0	1	0	17	---	29.83	0	12	0	---	---	1.23
E. N. Cent.	7	8	131	150	18.71	18.75	106	119	2	3	1.70	2.22
W. N. Cent.	22	20	324	303	14.73	15.28	262	244	5	7	1.72	2.39
S. Atl.	9	11	157	190	17.31	17.91	125	152	3	6	1.89	3.66
S. Cent.	0	8	0	145	---	17.99	0	119	0	3	---	2.65
West.	4	2	57	30	14.42	13.42	46	24	1	---	1.16	1.71
U. S.	42	50	669	835	15.93	16.70	539	670	11	19	1.83	2.53
Minn.	20	20	301	303	15.23	15.28	243	244	5	7	1.85	2.39

1/ Average weight based on unrounded data.

2/ Pounds condemned as percent of equivalent N. Y. dressed weight of quantity inspected. Percentages based on unrounded data.

Old turkeys (breeders): Number condemned post-mortem by cause, by regions and selected States, September 1967

Region and State	Tuber- culosis	Leu- kosis	Septi- cemia	Airsac- culitis	Synovitis	Tumors	Bruises	Cadaver	Contam- ination	Over- scald	Other	Total
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
N. Atl.	---	---	2	5	---	---	---	---	---	---	---	7
E. N. Cent.	---	4	76	41	1	2	4	6	2	---	2	138
W. N. Cent.	---	3	187	135	9	1	3	1	48	---	1	388
S. Atl.	---	---	117	59	1	1	1	3	26	---	9	217
S. Cent.	---	1	74	63	---	8	---	10	8	---	9	173
West.	---	2	23	4	1	---	5	3	---	---	---	38
U. S.	---	10	479	307	12	12	13	23	84	---	21	961
Minn.	---	3	187	135	9	1	3	1	48	---	1	388

OFFICIAL BUSINESS

U. S. DEPT. OF AGRICULTURE
NATIONAL ARCHIVES LIBRARY

MAY 2 - 1963

CURRENT SERIAL RECORDS

Definitions

Young chickens - Commercially grown broilers-fryers and other young immature birds such as roasters and capons.

Mature chickens - Fowl from breeder and market egg flocks and stags and cocks.

Fryer-roaster turkeys - Young immature birds, usually under 16 weeks of age.

Young turkeys (mature) - Young birds grown to a matured market age, usually 5 to 7 months.

Old turkeys (breeders) - Fully matured birds held for egg production, usually over 15 months of age.

Ducks - Includes all ducks regardless of age and weight.

Other poultry - Includes all other ready-to-cook products which bear the U.S.D.A. Inspected for Wholesomeness legend.

* * * *

The data presented in this report were compiled from reports collected by the Inspection Branch of the Poultry Division, Consumer and Marketing Service.